



**Underwriters
Laboratories Inc.®**

Northbrook Division
333 Plingsten Road
Northbrook, IL 60062-2096 USA
www.ul.com
tel: 1 847 272 8800

January 22, 2004

Sun Water Systems
Attn: Mr. Charles Strand
325 N. Beach Street
Fort Worth, TX 76111

Reference: Classification of Drinking Water Systems, Project 03NK25243, MH29286

Subject: Data for Chlorine Reduction Claim under ANSI/NSF Standard 42 - 2003


Dear Charles:

Attached to this letter is the data from the Chlorine Reduction test run using the Rhino EQ-300 filtration unit. Pace Analytical completed the testing for this portion of the project.


The data indicates that the Rhino EQ-300 drinking water system meets the requirements for Chlorine Reduction under ANSI/NSF Standard 42 - 2003.

If you have any questions about the data, please feel free to contact us. You will be receiving a complete UL report when all of the testing has been completed.

Sincerely,


Kenneth Jenke
Senior Project Chemist
Drinking Water Treatment Units
Environmental Sciences

Reviewed by,


Thomas Bowman
Section Manager

An independent organization working for a safer world with integrity, precision and knowledge.





Lab Sample Number	Sample Point	Test Unit #	Chlorine Concentration (mg/L)	Percent Reduction	Flow Rate (GPM)	Date Analyzed
40020317	240,000 gal	Influent	1.9			11/23/03
40020318	240,000 gal	4002-1	<0.01	99	7.0	11/23/03
40020319	270,000 gal	Influent	2.1			12/01/03
40020320	270,000 gal	4002-1	<0.01	99	7.0	12/01/03
40020321	300,000 gal	Influent	2.0			12/10/03
40020322	300,000 gal	4002-1	<0.01	99	7.0	12/10/03

Average Chlorine Influent Level: 2.0mg/L
Average Chlorine Effluent Level: 4002-1: <0.01 mg/L
Average Percent Reduction: 4002-1: 99
Average Flow Rate at 60 PSIG: 4002-1: 7.0 gpm
Initial Dynamic Pressure: 60 psig

General Test Water Characteristics

Parameters	Specifications	Results
pH	7.5 + 0.5	7.1
Temperature	20 + 3°C	18°C
Total Dissolved Solids	200-500 mg/L	330 mg/L
Turbidity	< 1 NTU	< 1 NTU
Total Organic Carbon	≥ 1.0 mg/L	1.4 mg/L

This report shall not be reproduced, except in its entirety, without the written authorization of UL. This report does not represent UL Classification or authorization to use the Mark. Authorization to use the UL EPH Mark is limited to products appearing in the Company's Official UL listing.





ANSI/NSF Standard 42 Chlorine Reduction

Project Number: 03NK25243

Applicant: Sun Water Systems
325 N. Beach Street
Fort Worth, TX 76111

Test Unit Description: Rhino EQ-300
Date Unit Received: August 2003
Filter Capacity: 300,000 gallons
Rated Flow Rate: 7.0 gpm
Test Conducted: Chlorine Reduction
ANSI/NSF Standard 42 - 2003

Maximum Allowable Effluent: 0.5 mg/L
Actual Maximum Effluent: <0.01 mg/L
Verdict: **PASS**

Lab Sample Number	Sample Point	Test Unit #	Chlorine Concentration (mg/L)	Percent Reduction	Flow Rate (GPM)	Date Analyzed
40020301	Initial	Influent	2.0			9/12/03
40020302	Initial	4002-1	<0.01	99	7.0	9/12/03
40020303	30,000 gal	Influent	2.0			9/20/03
40020304	30,000 gal	4002-1	<0.01	99	7.0	9/22/03
40020305	60,000 gal	Influent	2.0			9/30/03
40020306	60,000 gal	4002-1	<0.01	99	7.1	9/30/03
40020307	90,000 gal	Influent	2.1			10/09/03
40020308	90,000 gal	4002-1	<0.01	99	7.0	10/09/03
40020309	120,000 gal	Influent	2.0			10/18/03
40020310	120,000 gal	4002-1	<0.01	99	7.0	10/18/03
40020311	150,000 gal	Influent	2.2			10/27/03
40020312	150,000 gal	4002-1	<0.01	99	7.0	10/27/03
40020313	180,000 gal	Influent	2.1			11/04/03
40020314	180,000 gal	4002-1	<0.01	99	7.0	11/04/03
40020315	210,000 gal	Influent	2.1			11/13/03
40020316	210,000 gal	4002-1	<0.01	99	7.0	11/13/03

This report shall not be reproduced, except in its entirety, without the written authorization of UL. This report does not represent UL Classification or authorization to use the Mark. Authorization to use the UL EPH Mark is limited to products appearing in the Company's Official UL listing.





Test completed using 10 minute on, 10 minute off cycle 16 hours/day

Chlorine analyses completed using SM4500Cl - F

Pace Analytical Test Unit 4002-1 = UL Sample Number 57451

All work performed at Pace Analytical Services, 301 W. County Road E-2, St.Paul, MN
55112

Reviewed By: 

Kenneth Jenke

Senior Project Chemist

Date: 1/22/04

This report shall not be reproduced, except in its entirety, without the written authorization of UL. This report does not represent UL Classification or authorization to use the Mark. Authorization to use the UL EPH Mark is limited to products appearing in the Company's Official UL listing.

An independent organization working for a safer world with integrity, precision and knowledge.

Sun Water Systems – 03NK25243

1/22/2004

Page 3 of 3

